


## Mod. 5122.B E

### COPOLYMER POLYPROPYLENE WATERPROOF CASE

Heavy duty cases with wheels and telescopic handle. Sealing o-ring and removable lid. Available empty or with layers of pre-cubed foam in the bottom and convoluted foam in the lid. Self oiling free running wheels.



METRIC MM-KG-C°



#### INTERNAL DIMENSIONS

|          |        |
|----------|--------|
| L LENGTH | 517 mm |
| W WIDTH  | 277 mm |
| D DEPTH  | 217 mm |
| LID      | 50 mm  |
| BASE     | 167 mm |


#### EXTERNAL DIMENSIONS

|          |        |
|----------|--------|
| L LENGTH | 546 mm |
| W WIDTH  | 347 mm |
| D DEPTH  | 247 mm |

#### OTHER DATA

|                         |                      |
|-------------------------|----------------------|
| WEIGHT EMPTY            | 6 Kg                 |
| WEIGHT WITH FOAM        | 7 Kg                 |
| WEIGHT WITH CUSTOM FOAM | Kg                   |
| VOLUME                  | 31 lt                |
| BUOYANCY                | 21.50 Kg/max         |
| OPERATING TEMPERATURE   | °C min -33 / max +90 |

IMPERIAL IN-LBS-F°



#### INTERNAL DIMENSIONS

|          |            |
|----------|------------|
| L LENGTH | 20 3/8 in  |
| W WIDTH  | 10 7/8 in  |
| D DEPTH  | 8 9/16 in  |
| LID      | 1 15/16 in |
| BASE     | 6 9/16 in  |

#### EXTERNAL DIMENSIONS

|          |             |
|----------|-------------|
| L LENGTH | 21 1/2 in   |
| W WIDTH  | 13 11/16 in |
| D DEPTH  | 9 3/4 in    |

#### OTHER DATA

|                         |                         |
|-------------------------|-------------------------|
| WEIGHT EMPTY            | 13.22 lbs               |
| WEIGHT WITH FOAM        | 15.43 lbs               |
| WEIGHT WITH CUSTOM FOAM | lbs                     |
| VOLUME                  | 8.18 gal                |
| BUOYANCY                | 47.39 lbs/max           |
| OPERATING TEMPERATURE   | °F min -27.4 / max +194 |

## FEATURES



**CORROSION PROOF METAL HINGES WITH LID STAY FEATURES**



**EASY TO OPEN RELEASE TELESCOPIC HANDLE (model 5122)**



### **FIXING POINTS**

Additional fixing points on the lid, available on certain models



### **INTERNAL SLOTS**

Internal slots for optional panel mounting brackets or panel mounting rings



### JAM FREE LATCHES WITH EASY-OPENING MECHANISM

(from model 3818 on)



### SEALING O-RING

(Art. NEOSEAL + nr. art.)



### MANUAL PRESSURE RELEASE VALVE

The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)



### PVC WATERPROOF I. D. REMOVABLE LABEL

(Art. LABELCOVER + nr. art.)



### LID CAN BE SET TO SLIDE-OFF

By releasing the back screw, lid becomes set to slide-off when opened at 70°



### SOFT GRIP RUBBER HANDLE

Asa de carga comprobada, reforzada con pasadores de acero a prueba de corrosión



### WHEELS WITH BEARINGS

## ACCESSORIES



### PROTECTIVE SLEEVE FOR PC 13"-13.3"

TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



### TOP COVER FOR DIV51

COV51

Top covers available for larger models: they can be easily fixed on the dividers by Velcro strips. Ideal to protect and keep items in place.



### PADDED DIVIDER FOR 5117-5122

DIV51

Padded dividers with internal adjustable partitions. Ideal to protect and transport any kind of sensitive equipment. Thanks to their modularity, they can be easily combined.



### PANEL RING FOR CASE 5117 AND 5122

PANRING51.USA

Includes Imperial system fixing screws.

User friendly panel frames, they can be used to fix several kind of panels, from plastic to aluminum ones. Equipped with an additional gasket (which will be squeezed in between the panel and the frame) they can provide the case with a perfect instrumentation surface and a further humidity and dust resistance when the case is used in the field.

Completely removable, resistant and light, these panel rings help to transform the Explorer cases into practical workstations.

## LID PANEL WITH ORGANIZED POUCHES

PANEXPL51



Practical and robust lid panel with pouches, ideal for small accessories and documents. Suitable for cases 5117 and 5122. Color: black.

## PADDLED BAG WITH ADJUSTABLE DIVIDERS

BAG-B



Highly durable padded bag with rubber coated handle and waterproof zipper with lockable Velcro pull zipper. Practical external front pouch for documents, removable shoulder strap and rubber feet on the bottom to grant better grip. Internal adjustable padded dividers for flexible configuration. Ideal to protect sensitive equipment (ie electronic, photographic, broadcasting, medical etc.). Suitable for cases 5117 and 5122. Color: black/red.

## PANEL RING FOR CASE 5117 AND 5122

PANRING51



Includes Metric system fixing screws.

User friendly panel frames, they can be used to fix several kind of panels, from plastic to aluminum ones. Equipped with an additional gasket (which will be squeezed in between the panel and the frame) they can provide the case with a perfect instrumentation surface and a further humidity and dust resistance when the case is used in the field.

Completely removable, resistant and light, these panel rings help to transform the Explorer cases into practical workstations.

## PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK



Designed to fit snug to the Explorer case mould so as not to swing out





### PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



### BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



### TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destroying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



### METAL BRACKET

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



### PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



### CONVOLUTED FOAM SET FOR CASE 5117 AND 5122

LIDFOAM.51

(includes 2 pcs.)



### FOAM SET FOR CASE 5122

FOAM.5122

Layers of pre cubed foam for the bottom and convoluted foam for the lid



## SPARE PARTS



### Rubber coated handle for mod. 3818-4412-4419-5117-5122

KIN.0479

Includes: 1 black handle 2 fixing pins



### Rubber coated handle for models 3818-4412-4419-5117-5122

KIN.0469

Includes: 1 military green handle 2 fixing pins



### Polyurethane o-ring seal for models 5117 and 5122

KIN.0852

Includes: 1 o-ring



### Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122

KIN.0496

Includes: 1 transparent name tag holder



KIN.0446

### Easy-opening latch for models from 3818 up

KIN.0446

Includes:  
1 black latch  
1 fixing pin



KIN.0435

### Easy-opening latch for models from 3818 up

KIN.0435

Includes:  
1 military green latch  
1 fixing pin



KIN.0434

### Easy-opening latch for models from 3818 up

KIN.0434

Includes:  
1 orange latch  
1 fixing pin



KIN.0523

### Wheels for model 5122

KIN.0523

Includes:  
2 wheels with bearings  
2 self-locking nuts  
1 threaded rod



### Rubber coated handle for models 3818-4412-4419-5117-5122

KIN.0468

Includes: 1 orange handle 2 fixing pins



### Extractable handle for model 5122

KIN.0445

Includes:

- 1 black extractable handle
- 1 black protective cover
- 1 metal spring
- 2 lock/unlock levers
- 13 fixing screws



### Manual pressure release valve for models from 2712 up

KIN.0495

Includes:

- 1 black purge valve (+ o-ring + pin)
- 1 threaded bush
- 1 snap ring (Seeger)



### EPDM extruded o-ring seal for models 5117 and 5122

KIN.0531

Includes:

- 1 o-ring



MADE IN ITALY