


Mod. 5833.BPH

WATERPROOF CASE WITH PADDED DIVIDERS

Photo cases made in injection molded PP material. Equipped with three padded dividers sets to store professional camera gears.



METRIC MM-KG-C°



INTERNAL DIMENSIONS

| | |
|----------|--------|
| L LENGTH | 580 mm |
| W WIDTH | 440 mm |
| D DEPTH | 330 mm |
| LID | 60 mm |
| BASE | 270 mm |


EXTERNAL DIMENSIONS

| | |
|----------|--------|
| L LENGTH | 670 mm |
| W WIDTH | 510 mm |
| D DEPTH | 372 mm |

OTHER DATA

| | |
|-------------------------|----------------------|
| WEIGHT EMPTY | 10,54 Kg |
| WEIGHT WITH FOAM | 12,65 Kg |
| WEIGHT WITH CUSTOM FOAM | Kg |
| VOLUME | 84 lt |
| BUOYANCY | 62,00 Kg/max |
| OPERATING TEMPERATURE | °C min +90 / max -33 |

IMPERIAL IN-LBS-F°



INTERNAL DIMENSIONS

| | |
|----------|-------------|
| L LENGTH | 22 13/16 in |
| W WIDTH | 17 5/16 in |
| D DEPTH | 13 in |
| LID | 2 3/8 in |
| BASE | 10 5/8 in |

EXTERNAL DIMENSIONS

| | |
|----------|------------|
| L LENGTH | 26 3/8 in |
| W WIDTH | 20 1/16 in |
| D DEPTH | 14 5/8 in |

OTHER DATA

| | |
|-------------------------|-------------------------|
| WEIGHT EMPTY | 23.23 lbs |
| WEIGHT WITH FOAM | 27.88 lbs |
| WEIGHT WITH CUSTOM FOAM | lbs |
| VOLUME | 22.19 gal |
| BUOYANCY | 136.68 lbs/max |
| OPERATING TEMPERATURE | °F min +194 / max -27.4 |

FEATURES



SELF OILING FREE RUNNING WHEELS



WHEELS AND TELESCOPIC HANDLE (model 5833)



CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



INTERNAL SLOTS

Internal slots for optional panel mounting brackets or panel mounting rings



JAM FREE LATCHES WITH EASY-OPENING MECHANISM

(from model 3818 on)



SEALING O-RING

(Art. NEOSEAL + nr. art.)



MANUAL PRESSURE RELEASE VALVE

The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)



PVC WATERPROOF I. D. REMOVABLE LABEL

(Art. LABELCOVER + nr. art.)

SOFT GRIP RUBBER HANDLE

Asa de carga comprobada, reforzada con pasadores de acero a prueba de corrosión



TWO MAN LIFT SIDE HANDLES



ACCESSORIES



PADDED BAG WITH ADJUSTABLE DIVIDERS

BAG-G

Highly durable padded bag with rubber coated handle and waterproof zipper with lockable Velcro pull zipper. Practical external front pouch for documents, removable shoulder strap and rubber feet on the bottom to grant better grip. Internal adjustable padded dividers for flexible configuration. Ideal to protect sensitive equipment (ie electronic, photographic, broadcasting, medical etc.). Suitable for cases 5822, 5823 and 5833. Color: black/red.



LID PANEL WITH ORGANIZED POUCHES

PANEXPL58

Practical and robust lid panel with pouches, ideal for small accessories and documents. Suitable for cases 5822, 5823 and 5833. Color: black.



CONVOLUTED FOAM SET FOR CASE 5822, 5823 AND 5833

LIDFOAM.58

(includes 2 pcs.)



PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destroying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



METAL BRACKET

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly

SPARE PARTS



Side handle for models

5140-5325-5326-5822-5823-5833-7630-13513-13527-10840

KIN.0412

Includes: 1 black handle 2 fixing pins



Rubber coated handle for models 4820 - 5325 - 5326 - 5822 - 5823 - 5833

KIN.0542

Includes: 1 black handle 2 fixing pins



Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122

KIN.0496

Includes: 1 transparent name tag holder



Easy-opening latch for models from 3818 up

KIN.0446

Includes:
1 black latch
1 fixing pin



Wheels for models 5326-5823-5833-7630-7641

KIN.0522

Includes: 2 self-oiling wheels 4 metal washers 2 snap rings (Seeger) 2 fixing pins



Extractable handle + wheels for models 5822-5823-5833

KIN.0550

Includes: 1 black extractable handle 1 black protective cover 1 metal spring 1 lock/unlock lever 1 small cover cap 4 fixing pins 4 metal washers 4 snap rings (Seeger) 2 self-oiling wheels 12 fixing screws



Polyurethane o-ring seal for models 5822-5823-5833

KIN.0853

Includes: 1 o-ring



Manual pressure release valve for models from 2712 up

KIN.0495

Includes:

1 black purge valve (+ o-ring + pin)

1 threaded bush

1 snap ring (Seeger)



EPDM extruded o-ring seal for models 5822, 5823 and 5833

KIN.0530

Includes:
1 o-ring