


Mod. 9433.B

WATERPROOF CASE

Double depth waterproof cases to accommodate lighting instrumentation.



METRIC MM-KG-C°



INTERNAL DIMENSIONS

| | |
|----------|--------|
| L LENGTH | 936 mm |
| W WIDTH | 350 mm |
| D DEPTH | 330 mm |
| LID | 42 mm |
| BASE | 288 mm |


EXTERNAL DIMENSIONS

| | |
|----------|---------|
| L LENGTH | 1009 mm |
| W WIDTH | 412 mm |
| D DEPTH | 354 mm |

OTHER DATA

| | |
|-------------------------|---------------------|
| WEIGHT EMPTY | 10.2 Kg |
| WEIGHT WITH FOAM | 12.7 Kg |
| WEIGHT WITH CUSTOM FOAM | Kg |
| VOLUME | 108 lt |
| BUOYANCY | 84.9 Kg/max |
| OPERATING TEMPERATURE | °C min -33 / max 90 |

IMPERIAL IN-LBS-F°



INTERNAL DIMENSIONS

| | |
|----------|------------|
| L LENGTH | 36 7/8 in |
| W WIDTH | 13 3/4 in |
| D DEPTH | 13 in |
| LID | 1 5/8 in |
| BASE | 11 5/16 in |

EXTERNAL DIMENSIONS

| | |
|----------|-------------|
| L LENGTH | 39 3/4 in |
| W WIDTH | 16 1/4 in |
| D DEPTH | 13 15/16 in |

OTHER DATA

| | |
|-------------------------|------------------------|
| WEIGHT EMPTY | 22.48 lbs |
| WEIGHT WITH FOAM | 27.99 lbs |
| WEIGHT WITH CUSTOM FOAM | lbs |
| VOLUME | 28.53 gal |
| BUOYANCY | 187.17 lbs/max |
| OPERATING TEMPERATURE | °F min -27.4 / max 194 |

FEATURES



PULL RELEASE LATCH

New pull release latch grants additional safety and avoids accidental opening



SHIPPING LABEL HOLDER (OPTIONAL)

Polycarbonate removable label



AUTOMATIC VALVE

Automatic pressure release valve.



INTERNAL SLOTS


Internal slots for optional panel mounting brackets or panel mounting rings

LARGE FRONT HANDLE



SEALING O-RING

(Art. NEOSEAL + nr. art.)



STAINLESS STEEL REINFORCED PADLOCKABLE POINTS

4 stainless steel clip-covers on the two frontal outer padlock points, to grant a better resistance to abrasion.



HEAVY DUTY METAL LATCHES

8 heavy duty metal latches, 4 on each longer side, grant a more reliable retaining during rough handling.



ABILITY TO STACK

The special design of the bottom and the lid feet, grants a perfect stackability.



WRITABLE NAME TAG

PVC waterproof ID removable label



WHEELS

4 self-oiling free running wheels

ACCESSORIES



PADDED GUN BAG FOR CASE 9413

GSLEEVE 94

Designed to secure your valuable rifle and accessories, the new G Sleeve bags provide protection in a highly mobile condition. A lightweight ruggedized 600D polyester outer fabric protects from humidity, while a padded interior keeps your rifle well protected. The internal rifle retention straps and the neoprene side flaps keep your firearm properly fixed.

HBAG94



PADDED TWIN GUN BAG FOR CASE 9413

HBAG94

The new hunting gun sleeves are the latest accessories to carry and securely protect two guns inside our hard waterproof cases. These bags couple and lock together, or can be used also independently to carry the gun on the field.

Fits into 9413 case - x 2 pcs.



PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



CONVOLUTED FOAM SET FOR CASE 9413

LIDFOAM.94

(includes 2 pcs.)

SPARE PARTS



Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122

KIN.0496

Includes: 1 transparent name tag holder



Manual pressure release valve for models from 2712 up

KIN.0495

Includes:

- 1 black purge valve (+ o-ring + pin)
- 1 threaded bush
- 1 snap ring (Seeger)