


Mod. RED7814.B

POLYPROPYLENE CASE RED7814

Tactical gun cases for hunting guns, archery, etc.



METRIC MM-KG-C°



INTERNAL DIMENSIONS

L LENGTH	780 mm
W WIDTH	350 mm
D DEPTH	145 mm
LID	42 mm
BASE	103 mm


EXTERNAL DIMENSIONS

L LENGTH	846 mm
W WIDTH	427 mm
D DEPTH	167 mm

OTHER DATA

WEIGHT EMPTY	5.50 Kg
WEIGHT WITH FOAM	6.40 Kg
WEIGHT WITH CUSTOM FOAM	Kg
VOLUME	39.6 lt
BUOYANCY	25.3 Kg/max
OPERATING TEMPERATURE	°C min -33 / max 90

IMPERIAL IN-LBS-F°



INTERNAL DIMENSIONS

L LENGTH	30 11/16 in
W WIDTH	13 3/4 in
D DEPTH	5 11/16 in
LID	1 5/8 in
BASE	4 1/16 in

EXTERNAL DIMENSIONS

L LENGTH	33 5/16 in
W WIDTH	16 13/16 in
D DEPTH	6 9/16 in

OTHER DATA

WEIGHT EMPTY	12.12 lbs
WEIGHT WITH FOAM	14.11 lbs
WEIGHT WITH CUSTOM FOAM	lbs
VOLUME	10.46 gal
BUOYANCY	55.77 lbs/max
OPERATING TEMPERATURE	°F min -27.4 / max 194

FEATURES



CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



INTERNAL SLOTS

Internal slots for optional panel mounting brackets or panel mounting rings



LARGE FRONT HANDLE



LATCH



SEALING O-RING
(Art. NEOSEAL + nr. art.)



MANUAL PRESSURE RELEASE VALVE
The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)



PVC WATERPROOF I. D. REMOVABLE LABEL
(Art. LABELCOVER + nr. art.)



OPTIONAL SHOULDER STRAP (universal)
(art. SHOULDERKIT.U)



SIDE HANDLE

ACCESSORIES



PADDED GUN BAG FOR CASES 7630 - 7641 AND 7814

GBAG 76

Padded gunbag to protect SMG guns. Inclusive of a number of features to secure rifles and shotguns together with necessary accessories and ammunitions. GBAG 76 is designed to perfectly fit into Explorer Cases models 7630 (up to 6 pieces) 7641 (up to 8 pieces) and 7814 (1 piece). The gunbag is built with durable, 600D tear resistant polyester and robust zipper with lockable Velcro pull zipper. Designed to protect and transport critical gear. This gun bag comes with a removable shoulder strap. Personal ID window on the backside and front removable hook-and-loop screen-printable band.



PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destroying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



METAL BRACKET

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly

SPARE PARTS



Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122

KIN.0496

Includes: 1 transparent name tag holder